



TEST REPORT

Technical Report

(6216)273-0501-R1

December 30, 2016

Date Received

September 29, 2016 (Modified Date: October 17, 2016)

Page 1 of 29

The report is amendment of and supersedes the previous report (6216)273-0501 dated November 07, 2016.

Factory Company Name: 5026
Project No.: /
Client Reference No.: /
Sample Type: Wastewater - Time-Weighted Composite Grab Samples*
Sample Pick Up Date: October 17, 2016
Test Period: October 17, 2016 to November 07, 2016

Discharge Option: Direct Discharge (into factory owned ETP)

Sample Description: I001 <Incoming Water – Fresh Water>
I002 <Wastewater before Treatment – Raw Waste Water >
I003 <Wastewater after Treatment – Treated Waste Water >
I004 <Sludge in Clarifier - Sludge >

REMARK

If there are questions or concerns on this report, please contact the following persons:

Technical enquiry-Chemical : chemical.inquiry@tw.bureauveritas.com

This report shown the test result of the auxiliary chemical and/or raw material samples, which collected during particular factory audit. The results of this report shall not be used for any regulatory compliance purposes.

* The sampling is agreed with client.

BUREAU VERITAS CONSUMER PRODUCTS
SERVICES (H.K.) LIMITED, TAIWAN BRANCH

PREPARED BY : Jack Chiu

QUEENY CHEN
SENIOR MANAGER
ANALYTICAL DEPARTMENT

C/N /AY/JK

Photo of the Sample/ Sampling Location



C/N /AY/JK



Executive Summary

1A) Conventional Parameters	I001	I002	I003	I004
Temperature	N/A	See result in page 5 – 8	N/A	
TSS				
COD				
Total-N				
pH Value				
Color (Pt-Co)				
BOD ₅				
Ammonium-N				
Total-P				
AOX				
Oil and Grease				
Phenol				
Coliform				
Foam				
ANIONS - Sulfide				
ANIONS - Sulfite				
1B) Conventional Parameters – METALS	●	N/A	●	

ZDHC MRSL Substances	I001	I002	I003	I004
2A) APs and APEOs	o	●	o	o
2B) Chlorobenzenes and Chlorotoluenes	o	o	o	●
2C) Chlorophenols	o	o	o	●
2D) Azo Dyes	o	o	o	o
2E) Carcinogenic Dyes	o	o	o	o
2F) Disperse Dyes	o	o	o	o
2G) Flame Retardants	o	o	o	o
2H) Glycols	o	o	o	o
2I) Halogenated Solvents	o	o	o	o
2J) Organotin Compounds	o	o	o	o
2K) Perfluorinated and Polyfluorinated	●	●	o	o
2L) Phthalates	●	●	●	o
2M) Poly Aromatic Hydrocarbons	o	o	o	o
2N) Volatile Organic Compounds	o	●	o	o

Note / Key :

- ● – Detected
- o – Not Detected

C/N /AY/JK



Technical Report:

(6216)273-0501-R1

December 30, 2016

Page 4 of 29

Objective

The environment samples were tested for below parameters.

- 1A) Conventional Parameters
- 1B) Conventional Parameters – METALS
- 2A) APs and APEOs
- 2B) Chlorobenzenes and Chlorotoluenes
- 2C) Chlorophenols
- 2D) Azo Dyes
- 2E) Carcinogenic Dyes
- 2F) Disperse Dyes
- 2G) Flame Retardants
- 2H) Glycols
- 2I) Halogenated Solvents
- 2J) Organotin Compounds
- 2K) Perfluorinated and Polyfluorinated Chemicals
- 2L) Phthalates
- 2M) Poly Aromatic Hydrocarbons
- 2N) Volatile Organic Compounds

Sampling Plan

Basically, three environment samples were sampled per factory, including 1) Fresh Water; 2) Raw Waste Water, and 3) Sludge, for the factory which discharge into a communal ETP (Option 1 – Indirect discharge). And four environment samples were sampled per factory, including 1) Fresh Water; 2) Raw Waste Water, 3) Treated Waste Water, and 4) Sludge for the factory which discharge into factory owned ETP (Option 2 – Direct discharge). Total number of sample collected will be depended on the actual factory facilities and manufacturing processes.

Method of sampling used is time-weighted composite grab samples (agreed with client). 8-hours time-weighted mixed with grab sample is taken every 1 hour over a period of 8 hours. The sampling time would be carried out during day time, preferably between 8 a.m. to 4 p.m, the factory must operate normally in the am session. The aims to see the snapshot of water quality characteristics of the operating factories. They will not provide any information about the concentrations outside that point in time.

Remark :

- Sampling & Preservation procedure is with reference to below standards:
 - 1) Standard Methods for the Examination of Water and Wastewater, 21st edition, Method 1060, Collection and Preservation of Samples.
 - 2) ISO 5667- 1, 3, 10, 13 and 15 Water quality- Sampling - Guidance for the preservation and handling of water samples.
- Field data records are attached in Appendix B.

C/N /AY/JK



Technical Report: **(6216)273-0501-R1**

December 30, 2016

Page 5 of 29

Test Result

1A) Conventional Parameters

Temperature

Test Method : Measurement by thermometer/ U. S. EPA170.1

Tested Item(s)	Result	Unit	Conclusion
I003	7.0	deg. C	DATA

Note:

deg. C = degree Celsius (°C)

Total Suspended Solids (TSS)

Test Method : Reference to ISO 11923/ U. S. EPA 160.2/ APHA 2540D

Tested Item(s)	Result	Unit	Conclusion
I003	3.1	mg/L	DATA

Note:

mg/L = milligram per liter

Chemical Oxygen Demand (COD)

Test Method : Reference to ISO 6060/ U. S. EPA 410.4/ APHA 5220D

Tested Item(s)	Result	Unit	Conclusion
I003	57.7	mg/L	DATA

Note:

mg/L = milligram per liter

Total Nitrogen (Total-N)

Test Method : Reference to ISO 5663/ ISO 29441/ U. S. EPA 351.2/ APHA 4500N-C

Tested Item(s)	Result	Unit	Conclusion
I003	2.69	mg/L	DATA

Note:

mg/L = milligram per liter

C/N /AY/JK



Technical Report: **(6216)273-0501-R1**

December 30, 2016

Page 6 of 29

Test Result

pH Value

Test Method : Reference to ISO 10523/ U. S. EPA 150.1

	Unit	Result
-		
Test Item(s)	-	I003
Parameter	-	-
Temp. of sample	deg. C	32.0
pH value of sample	-	7.0
Conclusion	-	DATA

Note:

Temp. = Temperature deg. C = degree Celsius (°C)

Color (Pt-Co)

Test Method : With reference to ISO 7887, method D/ U. S. EPA 110.1/ U. S. EPA 110.2/ APHA 2120B

Tested Item(s)	Result	Unit	Conclusion
I003	48	Pt-Co	DATA

Biochemical Oxygen Demand (BOD₅)

Test Method : Reference to ISO 5815-1 & -2/ DIN EN 1899-1/ U. S. EPA 405.1/ APHA 5210B

Tested Item(s)	Result	Unit	Conclusion
I003	9.5	mg/L	DATA

Note:

mg/L = milligram per liter

Ammonia Nitrogen

Test Method : Reference to ISO 11732/ ISO 7150/ U. S. EPA 350.1/ APHA 4500 NH₃-N/ HJ 535

Tested Item(s)	Result	Unit	Conclusion
I003	2.21	mg/L	DATA

Note:

mg/L = milligram per liter

C/N /AY/JK



Technical Report: **(6216)273-0501-R1**

December 30, 2016

Page 7 of 29

Test Result

Total Phosphorus (Total-P)

Test Method : Reference to ISO 11885/ ISO 6878/ U. S. EPA 365.4/ APHA 4500P-J

Tested Item(s)	Result	Unit	Conclusion
I003	0.101	mg/L	DATA

Note:

mg/L = milligram per liter

Adsorbable Organic Halogen (AOX)

Test Method : Reference to ISO 9562/ U. S. EPA 1650

Tested Item(s)	Result	Unit	Conclusion
I003	0.252	mg/L	DATA

Note:

mg/L = milligram per liter

Oil and Grease

Test Method : Reference to ISO 9377-2/ U. S. EPA 1664

Tested Item(s)	Result	Unit	Conclusion
I003	3.8	mg/L	DATA

Note:

mg/L = milligram per liter

Phenol

Test Method : Reference to ISO 14402/ APHA 5530B, C & D

Tested Item(s)	Result	Unit	Conclusion
I003	0.0729	mg/L	DATA

Note:

mg/L = milligram per liter

C/N /AY/JK



Technical Report: **(6216)273-0501-R1**

December 30, 2016

Page 8 of 29

Test Result

Coliform

Test Method : Reference to ISO 9308/ U. S. EPA 9132

Tested Item(s)	Result	Unit	Conclusion
I003	1.1 X 10 ²	bacteria/ 100 mL	DATA

Note:

bacteria/100 mL = bacteria per 100 milliliters

Foam

Test Method : Visual

Tested Item(s)	Result	Unit	Conclusion
I003	Dissipating	-	DATA

ANIONS - Sulfide

Test Method : Reference to ISO 10530/ APHA 4500 S²-D

Tested Item(s)	Result	Unit	Conclusion
I003	ND	mg/L	DATA

Note:

mg/L = milligram per liter

ANIONS - Sulfite

Test Method : Reference to ISO 10304-3/ U. S. EPA 377.1

Tested Item(s)	Result	Unit	Conclusion
I003	0.29	mg/L	DATA

Note:

mg/L = milligram per liter

C/N /AY/JK



Technical Report: **(6216)273-0501-R1**

December 30, 2016

Page 9 of 29

Test Result

1B) Conventional Parameters - METALS

Heavy Metals	I001	I002	I003	I004
Arsenic (As)	ND	N/A	2	N/A
Cadmium (Cd)	ND		ND	
Mercury (Hg)	ND		ND	
Lead (Pb)	3		3	
Antimony (Sb)	ND		576	
Cobalt (Co)	ND		2	
Nickel (Ni)	7		178	
Copper (Cu)	48		53	
Chromium (Cr)	9		3	
Chromium VI (Cr VI)	ND		ND	
Silver (Ag)	1		ND	

2A) APs and APEOs

APs and APEOs	I001	I002	I003	I004
OP	ND	ND	ND	ND
NP	ND	2	ND	ND
OP1EO	ND	ND	ND	ND
OPEO (2-16)	ND	ND	ND	ND
NP1EO	ND	ND	ND	ND
NPEO (2-18)	ND	ND	ND	ND

C/N /AY/JK



Technical Report:

(6216)273-0501-R1

December 30, 2016

Page 10 of 29

Test Result

2B) Chlorobenzenes and Chlorotoluenes

Chlorobenzenes and Chlorotoluenes	I001	I002	I003	I004
Chlorobenzene	ND	ND	ND	0.06
Dichlorobenzenes				
1,2-Dichlorobenzene	ND	ND	ND	ND
1,3-Dichlorobenzene	ND	ND	ND	ND
1,4-Dichlorobenzene	ND	ND	ND	ND
Trichlorobenzenes				
1,2,3-Trichlorobenzene	ND	ND	ND	ND
1,2,4-Trichlorobenzene	ND	ND	ND	ND
1,3,5-Trichlorobenzene	ND	ND	ND	ND
Tetrachlorobenzenes				
1,2,3,4-Tetrachlorobenzene	ND	ND	ND	ND
1,2,3,5-Tetrachlorobenzene	ND	ND	ND	ND
1,2,4,5-Tetrachlorobenzene	ND	ND	ND	ND
Pentachlorobenzene	ND	ND	ND	ND
Hexachlorobenzene	ND	ND	ND	ND
2-Chlorotoluene, 3-Chlorotoluene, 4-Chlorotoluene	ND	ND	ND	ND
2,3-Dichlorotoluene, 3,4-Dichlorotoluene	ND	ND	ND	ND
2,4-Dichlorotoluene, 2,5-Dichlorotoluene, 2,6-Dichlorotoluene	ND	ND	ND	ND
2,3,6-Trichlorotoluene	ND	ND	ND	ND
2,4,5-Trichlorotoluene	ND	ND	ND	ND
Pentachlorotoluene	ND	ND	ND	ND

C/N /AY/JK



Technical Report:

(6216)273-0501-R1

December 30, 2016

Page 11 of 29

Test Result

2C) Chlorophenols

Chlorophenols	I001	I002	I003	I004
Pentachlorophenol (PCP)	ND	ND	ND	ND
Trichlorophenol (TriCP)				
2,4,6-Trichlorophenol	ND	ND	ND	ND
2,3,5-Trichlorophenol	ND	ND	ND	ND
2,4,5-Trichlorophenol	ND	ND	ND	ND
3,4,5-Trichlorophenol	ND	ND	ND	ND
2,3,4-Trichlorophenol	ND	ND	ND	ND
Dichlorophenol (DiCP)				
2,3-Dichlorophenol	ND	ND	ND	ND
3,4-Dichlorophenol	ND	ND	ND	ND
2,4-Dichlorophenol	ND	ND	ND	0.547
2,5-Dichlorophenol	ND	ND	ND	
2,6-Dichlorophenol	ND	ND	ND	
3,5-Dichlorophenol	ND	ND	ND	
Mono Chlorophenol (MonoCP)				
2-Chlorophenol	ND	ND	ND	ND
3-Chlorophenol	ND	ND	ND	ND
4-Chlorophenol	ND	ND	ND	ND

2K) Perfluorinated and Polyfluorinated Chemicals

Perfluorinated and Polyfluorinated Chemicals	I001	I002	I003	I004
PFOA	0.01	0.03	ND	ND
PFBS	ND	ND	ND	ND
PFOS	ND	ND	ND	ND
PFHxA	ND	ND	ND	ND
8:2 FTOH	ND	ND	ND	ND
6:2 FTOH	ND	ND	ND	ND

C/N /AY/JK



Technical Report:

(6216)273-0501-R1

December 30, 2016

Page 12 of 29

Test Result

2L) Phthalates

Phthalates	I001	I002	I003	I004
BBP	ND	ND	ND	ND
DBP	ND	ND	ND	ND
DEHP	ND	ND	ND	ND
DNOP	2	3	2	ND
DINP	ND	ND	ND	ND
DIDP	ND	ND	ND	ND
DEP	ND	ND	ND	ND
DPRP	ND	ND	ND	ND
DIBP	ND	ND	ND	ND
DCHP	ND	ND	ND	ND
DnHP	ND	ND	ND	ND
DNP	ND	ND	ND	ND
DIOP	ND	ND	ND	ND
DMEP	ND	ND	ND	ND
DHNUP	ND	ND	ND	ND
DIHP	ND	ND	ND	ND

2N) Volatile Organic Compounds

Volatile Organic Compounds	I001	I002	I003	I004
Benzene	ND	37	ND	ND
Xylene	ND	130	ND	ND
o-cresol	ND	ND	ND	ND
p-cresol	ND	ND	ND	ND
m-cresol	ND	ND	ND	ND

Others Priority Chemical Groups

	I001	I002	I003	I004
2D) Azo Dyes	ND	ND	ND	ND
2E) Carcinogenic Dyes	ND	ND	ND	ND
2F) Disperse Dyes	ND	ND	ND	ND
2G) Flame Retardants	ND	ND	ND	ND
2H) Glycols	ND	ND	ND	ND
2I) Halogenated Solvents	ND	ND	ND	ND
2J) Organotin Compounds	ND	ND	ND	ND
2M) Poly Aromatic Hydrocarbons	ND	ND	ND	ND

Remark :

- Test method, reporting limit and list of chemical are summarized in tables of Appendix A.
- ND = Not detected (Please refer to reporting limit shown in Appendix A.).
- All results are in ppb as unit.
- ppb = part(s) per billion.

C/N /AY/JK



APPENDIX A

Conventional parameters

Conventional Parameters	Total-P
Temperature	AOX
TSS	Oil and Grease
COD	Phenol
Total-N	Coliform
pH Value	Foam
Color (Pt-Co)	ANIONS - Sulfide
BOD ₅	ANIONS - Sulfite
Ammonium-N	

List of Conventional Parameters – METALS :

No.	Test Method	Reporting Limit		Unit	
Others : With reference to acid digestion with ICP analysis. Cr VI : With reference to solvent extraction and derivatisation followed by UV-Vis analysis.		Water:	Cd: 0.1; Hg: 0.05; Each (Others): 1	ppb	
		Sludge:	Zn: 4; Hg: 0.02; Each (Others): 1	mg/kg	
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.
1	Arsenic (As)	7440-38-2	7	Nickel (Ni)	7440-02-0
2	Cadmium (Cd)	7440-43-9	8	Copper (Cu)	7440-50-8
3	Mercury (Hg)	7439-97-6	9	Zinc (Zn)	7440-66-6
4	Lead (Pb)	7439-92-1	10	Chromium (Cr)	7440-47-3
5	Antimony (Sb)	7440-36-0	11	Chromium VI (Cr VI)	18540-29-9
6	Cobalt (Co)	7440-48-4	12	Silver (Ag)	7440-22-4

C/N /AY/JK

ZDHC MRS� Substances

List of Alkylphenols and Alkylphenol Ethoxylates :					
Test Method			Reporting Limit		Unit
Alkylphenols : With reference to ISO 18857-2 (Modified with DCM extraction). Alkylphenol Ethoxylates : With reference to ISO 18857-2. Followed by GC/MS or LC/MS analysis			Water:	Each (OP & NP): 1 Each (OPEOs & NPEOs): 5	ppb
			Sludge:	Each: 0.2	mg/kg
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.
1	Octylphenol (OP)	Various (140-66-9, 27193-28-8, 1806-26-4, 85771-77-3)	4	Nonylphenol (NP)	Various (25154-52-3, 104-40-5, 84852-15-3, 1173019-62-9 11066-49-2)
2	Octylphenol monoethoxylates (OPIEO)	Various	5	Nonylphenol monoethoxylates (NPIEO)	Various
3	Octylphenoethoxylates, (n=2 to n=16)	Various (9002-93-1, 9036-19-5, 68987-90-6)	6	Nonylphenoethoxylates, (n=2 to n=18)	Various (9016-45-9, 26027-38-3, 127087-87-0, 37205-87-1, 68412-54-4)

List of Chlorobenzenes :					
No.	Test Method		Reporting Limit		Unit
With reference to U. S. EPA 8260B and U. S. EPA 8270D. (DCM extraction, followed by GC/MS analysis)			Water:	Each: 0.2	ppb
			Sludge:	1,3-Dichlorobenzene, 1,4-Dichlorobenzene: 0.01 (mix total); 1,2,4,5- Tetrachlorobenzene, 1,2,3,5- Tetrachlorobenzene: 0.01 (mix total); Each: 0.01	mg/kg
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.
Dichlorobenzenes		Various	6	1,3,5-Trichlorobenzene	108-70-3
1	1,2-Dichlorobenzene	95-50-1	Tetrachlorobenzenes		Various
2	1,3-Dichlorobenzene	541-73-1	7	1,2,3,4-Tetrachlorobenzene	634-66-2
3	1,4-Dichlorobenzene	106-46-7	8	1,2,3,5-Tetrachlorobenzene	634-90-2
Trichlorobenzenes		Various	9	1,2,4,5-Tetrachlorobenzene	95-94-3
4	1,2,3-Trichlorobenzene	87-61-6	10	Pentachlorobenzene	608-93-5
5	1,2,4-Trichlorobenzene	120-82-1	11	Hexachlorobenzene	118-74-1

C/N /AY/JK



List of Chlorotoluenes :						
No.	Test Method			Reporting Limit		Unit
With reference to U. S. EPA 8260B and U. S. EPA 8270D. (DCM extraction, followed by GC/MS analysis)				Water:	Each: 0.2	ppb
				Sludge:	Each: 0.01	mg/kg
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.	
1	2-Chlorotoluene, 3-Chlorotoluene, 4-Chlorotoluene	95-49-8, 108-41-8, 106-43-4	4	2,3,6-Trichlorotoluene	2077-46-5	
2	2,3-Dichlorotoluene, 3,4-Dichlorotoluene	32768-54-0, 95-75-0	5	2,4,5-Trichlorotoluene	6639-30-1	
3	2,4-Dichlorotoluene, 2,5-Dichlorotoluene, 2,6-Dichlorotoluene	95-73-8, 19398-61-9, 118-69-4	6	Pentachlorotoluene	877-11-2	

List of Chlorophenols :						
No.	Test Method			Reporting Limit		Unit
With reference to U. S. EPA 8270D. (Solvent extraction, derivatisation with KOH, acetic anhydride followed by GC/MS analysis)				Water:	Each: 0.5	ppb
				Sludge:	2,3,6 & 2,4,5-TCP: 0.025 (mix total); 4,5 & 2,3,4-TCP: 0.025 (mix total); 3,5 & 2,4 & 2,5 & 2,6-DCP: 0.025 (mix total); Each: 0.025	mg/kg
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.	
1	Pentachlorophenol (PCP)	87-86-5		Dichlorophenol (DiCP)	Various	
			10	2,3-Dichlorophenol	576-24-9	
2	2,3,4,5-Tetrachlorophenol	4901-51-3	11	3,4-Dichlorophenol	95-77-2	
3	2,3,4,6-Tetrachlorophenol	58-90-2	12	2,4-Dichlorophenol	120-83-2	
4	2,3,5,6-Tetrachlorophenol	935-95-5	13	2,5-Dichlorophenol	583-78-8	
	Trichlorophenol (TriCP)	Various	14	2,6-Dichlorophenol	87-65-0	
5	2,4,6-Trichlorophenol	88-06-2	15	3,5-Dichlorophenol	591-35-5	
6	2,3,5-Trichlorophenol	933-78-8		Mono Chlorophenol (MonoCP)	Various	
7	2,4,5-Trichlorophenol	95-95-4	16	2-Chlorophenol	95-57-8	
8	3,4,5-Trichlorophenol	609-19-8	17	3-Chlorophenol	108-43-0	
9	2,3,4-Trichlorophenol	15950-66-0	18	4-Chlorophenol	106-48-9	

C/N /AY/JK

List of Aromatic Amines in Azo Colorants :						
No.	Test Method			Reporting Limit		Unit
With reference to EN 14362. (Reduction step with sodium dithionite, solvent extraction followed by GC/MS and HPLC Analysis				Water:	Each: 0.1	ppb
				Sludge:	Each: 0.1	mg/kg
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.	
1	4-Aminodiphenyl (Biphenyl-4-ylamine or Xenylamine)	92-67-1	13	4,4'-Methylenedi-o-toluidine (3,3'-Dimethyl-4,4'-diaminodiphenylmethane)	838-88-0	
2	Benzidine	92-87-5	14	p-Cresidine (6-Methoxy-m-toluidine)	120-71-8	
3	4-Chloro-o-toluidine	95-69-2	15	4,4'-Methylene-bis-(2-chloraniline) (2,2'-Dichloro-4,4'-methylene-dianiline)	101-14-4	
4	2-Naphthylamine	91-59-8	16	4,4'-Oxydianiline	101-80-4	
5	o-Aminoazotoluene (4-Amino-2',3-dimethylazobenzene or 4-o-tolyazo-o-toluidine)	97-56-3	17	4,4'-Thiodianiline	139-65-1	
6	5-nitro-o-toluidine (2-Amino-4-nitrotoluene)	99-55-8	18	o-Toluidine (2-Aminotoluene)	95-53-4	
7	4-Chloroaniline (p-Chloroaniline)	106-47-8	19	4-Methyl-m-phenylenediamine (2,4-Toluenediamine)	95-80-7	
8	4-Methoxy-m-phenylenediamine (2,4-Diaminoanisole)	615-05-4	20	2,4,5-Trimethylaniline	137-17-7	
9	4,4'-Diaminodiphenylmethane (4,4'-Methylenedianiline)	101-77-9	21	o-Anisidine (2-Methoxyaniline)	90-04-0	
10	3,3'-Dichlorobenzidine (3,3'-Dichlorobiphenyl-4,4'-ylenediamine)	91-94-1	22	4-Aminoazobenzene (p-Aminoazobenzene)	60-09-3	
11	3,3'-Dimethoxybenzidine (o-Dianisidine)	119-90-4	23	2,4-Xylidine (2,4-dimethylaniline)	95-68-1	
12	3,3'-Dimethylbenzidine (4,4'-Bi-o-toluidine)	119-93-7	24	2,6-Xylidine (2,6-dimethylaniline)	87-62-7	

List of Carcinogenic Dyes :						
No.	Test Method			Reporting Limit		Unit
Liquid extraction followed by LC/MS analysis				Water:	Each: 5000	ppb
				Sludge:	Each: 0.15	mg/kg
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.	
1	C.I. Direct Black 38	1937-37-7	7	C.I. Disperse Blue 1	2475-45-8	
2	C.I. Direct Blue 6	2602-46-2	8	C.I. Disperse Blue 3	2475-46-9	
3	C.I. Acid Red 26	3761-53-3	9	C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	
4	C.I. Basic Red 9	569-61-9	10	C.I. Basic Green 4 (malachite green chloride), (malachite green oxalate), (malachite green)	569-64-2, 2437-29-8, 10309-95-2	
5	C.I. Direct Red 28	573-58-0	11	Disperse Orange 11	82-28-0	
6	C.I. Basic Violet 14	632-99-5	-	-	-	

C/N /AY/JK



Technical Report: **(6216)273-0501-R1**

December 30, 2016

Page 17 of 29

List of Disperse Dyes :						
No.	Test Method			Reporting Limit		Unit
Liquid extraction followed by LC/MS analysis				Water:	Each: 5000	ppb
				Sludge:	Each: 0.15	mg/kg
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.	
1	Disperse Yellow 1	119-15-3	11	Disperse Red 17	3179-89-3	
2	Disperse Blue 102	12222-97-8	12	Disperse Blue 7	3179-90-6	
3	Disperse Blue 106	12223-01-7	13	Disperse Blue 26	3860-63-7	
4	Disperse Yellow 39	12236-29-2	14	Disperse Yellow 49	54824-37-2	
5	Disperse Orange 37/59/76	13301-61-6	15	Disperse Blue 35	12222-75-2	
6	Disperse Brown 1	23355-64-8	16	Disperse Blue 124	61951-51-7	
7	Disperse Orange 1	2581-69-3	17	Disperse Yellow 9	6373-73-5	
8	Disperse Yellow 3	2832-40-8	18	Disperse Orange 3	730-40-5	
9	Disperse Red 11	2872-48-2	19	Disperse Blue 35	56524-77-7	
10	Disperse Red 1	2872-52-8	-	-	-	

C/N /AY/JK



List of Flame Retardants :						
No.	Test Method			Reporting Limit		Unit
	With reference to ISO 22032, U. S. EPA 527 and U. S. EPA 8321B. (DCM extraction, followed by GC/MS analysis or LC/MS analysis)			Water:	Each (PBBs & PBDEs): 0.05; Each (Others): 0.5; SCCP: 5	ppb
				Sludge:	PBBs & PBDEs: 0.03 (in total); TCEP & TCPP: 0.05; BIS/BDBPP, TRIS/TDBPP, HBCDD, TBBPA, BBMP, TDCPP: 0.25; Others Each: 0.03	mg/kg
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.	
	Polybromobiphenyls (PBBs)	59536-65-1	12	Octabromodiphenyl ether (OctaBDE)	32536-52-0	
1	Monobromobiphenyl (MonoBB)	-	13	Decabromodiphenyl ether (DecaBDE)	1163-19-5	
2	Dibromobiphenyl (DiBB)	-	14	Tris(2,3-dibromopropyl) phosphate (TRIS/TDBPP)	126-72-7	
3	Tribromobiphenyl (TriBB)	-	15	Tetrabromobisphenol A (TBBPA)	79-94-7	
4	Tetrabromobiphenyl (TetraBB)	-	16	Bis(2,3-dibromopropyl) phosphate (BIS/BDBPP)	5412-25-9	
5	Pentabromobiphenyl (PentaBB)	-	17	Hexabromocyclododecane (HBCDD)	3194-55-6	
6	Hexabromobiphenyl (HexaBB)	-	18	2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	
7	Heptabromobiphenyl (HeptaBB)	-	19	Tris(aziridinyl)-phosphineoxide (TEPA)	545-55-1	
8	Octabromobiphenyl (OctaBB)	-	20	Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	
9	Nonabromobiphenyl (NonaBB)	-	21	Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	
10	Decabromobiphenyl (DecaBB)	13654-09-6	22	Short chain chlorinated paraffins (SCCPs)	85535-84-8	
11	Pentabromodiphenyl ether (PentaBDE)	32534-81-9	-			

List of Glycols :						
No.	Test Method			Reporting Limit		Unit
	With reference to U. S. EPA 8270. (Liquid extraction followed by LC/MS analysis)			Water:	Each: 5000	ppb
				Sludge:	Each: 0.5	mg/kg
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.	
1	Bis(2-methoxyethyl)-ether	111-96-6	5	2-Methoxyethanol	109-86-4	
2	2-Ethoxyethanol	110-80-5	6	2-Methoxyethylacetate	110-49-6	
3	2-Ethoxyethyl acetate	111-15-9	7	2-Methoxypropylacetate	70657-70-4	
4	Ethylene glycol dimethyl ether	110-71-4	8	Triethylene glycol dimethyl ether	112-49-2	

C/N /AY/JK



List of Halogenated Solvents :						
No.	Test Method			Reporting Limit		Unit
With reference to U. S. EPA 8260B. (Headspace GC-MS analysis or Purge-and Trap GC/MS analysis)				Water:	Each: 1	ppb
				Sludge:	Each: 0.3	mg/kg
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.	
1	1,2-Dichloroethane	107-06-2	3	Trichloroethylene	79-01-6	
2	Methylene Chloride	75-09-2	4	Tetrachloroethylene	127-18-4	

List of Organotin Compounds :						
No.	Test Method			Reporting Limit		Unit
With reference to ISO 17353. (Solvent extraction, derivatisation with NaB(C ₂ H ₅) ₃ followed by GC/MS analysis)				Water:	Each: 0.01	ppb
				Sludge:	Each: 0.01	mg/kg
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.	
Mono-, di- and tri-methyltin derivatives		Various	Mono-, di- and tri-phenyltin derivatives			
1	Monomethyltin (MMT)		9	Monophenyltin (MPhT)	Various	
2	Dimethyltin (DMT)		10	Diphenyltin (DPhT)		
3	Trimethyltin (TMT)		11	Triphenyltin (TPhT)		
Mono-, di- and tri-butyltin derivatives		Various	Mono-, di- and tri-octyltin derivatives			
4	Monobutyltin (MBT)		12	Monooctyltin (MOT)	Various	
5	Dibutyltin (DBT)		13	Diocetyl tin (DOT)		
6	Tributyltin (TBT)		14	Triocetyl tin (TOT)		
7	Tricyclohexyltin (TCyT)	Various	15	Tetrabutyltin (TeBT)		1461-25-2
8	Tripopyltin (TPT)	Various	-	-	-	

List of Perfluorinated and Polyfluorinated Chemicals :						
No.	Test Method			Reporting Limit		Unit
With reference to DIN 38407-42 (modified)				Water:	Each: 0.01; Each (FOTH): 1	ppb
Ionic PFC : Concentration or direct injection followed by LC/MS/MS analysis;				Sludge:	Each: 1; Each (FOTH): 10	mg/kg
Non-ionic PFC (FTOH) : derivatisation with acetic anhydride, followed by GC/MS analysis						
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.	
1	Perfluoro-n-octanoic acid (PFOA)	335-67-1, 335-95-5	4	Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	
2	Perfluorobutanesulfonic acid (PFBS)	375-73-5, 29420-49-3, 29420-43-3	5	8:2 FTOH	678-39-7	
3	Perfluorooctanesulfonic acid (PFOS)	1763-23-1, 432-50-7	6	6:2 FTOH	647-42-7	

C/N /AY/JK



List of Phthalates :						
No.	Test Method			Reporting Limit		Unit
With reference to U. S. EPA 8270D or ISO 18846. (DCM extraction, followed by GC/MS analysis or LC/MS analysis)				Water:	Each: 1	ppb
				Sludge:	Each: 0.3	mg/kg
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.	
1	Butyl benzyl phthalate (BBP)	85-68-7	9	Di-iso-butyl phthalate (DIBP)	84-69-5	
2	Dibutyl phthalate (DBP)	84-74-2	10	Di-cyclohexyl phthalate (DCHP)	84-61-7	
3	Di-2-ethylhexyl phthalate (DEHP)	117-81-7	11	Di-n-hexyl phthalate (DnHP)	84-75-3	
4	Di-n-octyl phthalate (DNOP)	117-84-0	12	Dinonyl phthalate (DNP)	84-76-4	
5	Di-iso-nonyl phthalate (DINP)	28553-12-0 & 68515-48-0	13	Di-iso-octyl phthalate (DIOP)	27554-26-3	
6	Di-iso-decyl phthalate (DIDP)	26761-40-0 & 68515-49-1	14	Dimethoxyethyl phthalate (DMEP)	117-82-8	
7	Diethyl phthalate (DEP)	84-66-2	15	1,2-benzenedicarboxylic acid, di-C7-11-branched and linearalkyl esters (DHNUP)	68515-42-4	
8	Di-n-propyl phthalate (DPRP)	131-16-8	16	1,2-benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	

List of Poly Aromatic Hydrocarbons :						
No.	Test Method			Reporting Limit		Unit
With reference to DIN 38407-39. (Solvent extraction, followed by GC/MS analysis)				Water:	Each: 1	ppb
				Sludge:	Each: 0.1	mg/kg
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.	
1	Benzo[a]pyrene (BaP)	50-32-8	10	Benzo[k]fluoranthene	207-08-9	
2	Anthracene	120-12-7	11	Acenaphthylene	208-96-8	
3	Pyrene	129-00-0	12	Chrysene	218-01-9	
4	Benzo[ghi]perylene	191-24-2	13	Dibenz[a,h]anthracene	53-70-3	
5	Benzo[e]pyrene	192-97-2	14	Benzo[a]anthracene	56-55-3	
6	Indeno[1,2,3-cd]pyrene	193-39-5	15	Acenaphthene	83-32-9	
7	Benzo[j]fluoranthene	205-82-3	16	Phenanthrene	85-01-8	
8	Benzo[b]fluoranthene	205-99-2	17	Fluorene	86-73-7	
9	Fluoranthene	206-44-0	18	Naphthalene	91-20-3	

C/N /AY/JK



Technical Report: **(6216)273-0501-R1**

December 30, 2016

Page 21 of 29

List of Volatile Organic Compounds :						
No.	Test Method			Reporting Limit		Unit
With reference to ISO 11423-1. (Headspace GC-MS analysis or Purge-and Trap GC/MS analysis)				Water:	Each: 1	ppb
				Sludge:	Each: 0.3	mg/kg
No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.	
1	Benzene	71-43-2	4	p-cresol	106-44-5	
2	Xylene	1330-20-7	5	m-cresol	108-39-4	
3	o-cresol	95-48-7	-	-	-	

Note / Key :

ppb = part(s) per billion

C/N /AY/JK



APPENDIX B

1) Incoming water – Fresh Water

General Data

Laboratory Sample Number DT 20161017 IW

Client Name _____

Field Contact Person _____ Phone No: _____

Project (Facility Name and Address) _____

Sampling Location / Description _____

Sample Identification Zero discharge with sampling plan

Sample Type Grab sample

Name of Sampler David Lu

Discharge mode Direct discharge to environment (Specify destination: River, Sea, Stream...) OR Indirect discharge to sewage treatment plant

Date and time collected 2016/10/17 9:45AM 10:45AM 11:45AM 12:45AM 13:45PM 14:45PM 15:45PM 16:45PM

Factory Type Dyeing/Printing/Washing/Finishing/Other (please specify) _____

*Note: It would be selected more than one

Field Data for wastewater

Field Parameters	pH :	Temp :	Color :
Control No. of field equipment	7.13	26 °C	Transparent yellow

Analysis Required and Preservation Method

Factory with effluent treatment plant	Yes		No	
Sample matrix	<input checked="" type="checkbox"/>	Incoming water		
	<input type="checkbox"/>	Wastewater before treatment		
	<input type="checkbox"/>	Wastewater after treatment – water at discharge point		
Sampler container number				
Recording time				
Volume collected, mL				
Total volume collected	Remark: Total volumn collected must be greater than total of sample size required			
Tests	Test required	Total of sample size	Type of container	Preservation method
1. Phthalate		500 mL	Amber Glass, wash with nitric acid, rinse thoroughly with distilled water and dry before use	Without adding acid Store sample at 4°C
2. Brominated and chlorinated Flame retardant		500 mL		
3. Banned Azodyes		500 mL		
4. Organotin Compounds		500 mL		
5. SCCPs		500 mL		
6. Navy Blue		10 mL		

C/N /AY/JK



Technical Report: **(6216)273-0501-R1**

December 30, 2016

Page 23 of 29

7. Free primary aromatic amines		500 mL		
8. Chlorobenzenes		500 mL	Amber Glass, wash with nitric acid; Pre-add 6.5 mL of 2M HCl	Acidify to ~pH 2 with HCl and store sample at 4°C
9. Chlorophenols		500 mL		
10. APEOs/APs		500 mL		
11. Chlorinated Solvents		500 mL		Fill to full bottle without air; acidify to ~pH 2 with HCl and store sample at 4°C
12. Heavy Metals except CrVI		500 mL	Amber Glass, wash with nitric acid, pre-add 6.5mL of 2M HNO ₃	Acidify to pH 2 with HNO ₃ and store at 4°C
13. CrVI		500 mL	Amber Glass, wash with pesticide grade acetone	Fill to full bottle without air nor adding acid and store sample at 4°C
14. PFCs		500 mL	PE, wash with pesticide grade Acetone;	Without adding acid Store sample at 4°C
15. Cyanide		500 mL	Amber Glass, wash with pesticide grade acetone	Adjust pH 12 with 50% NaOH and store at 4°C

C/N /AY/JK



2) Wastewater before Treatment – Raw Waste Water

General Data

Laboratory Sample Number DT 20161017 BT

Client Name _____

Field Contact Person _____ Phone No: _____

Project (Facility Name and Address) _____

Sampling Location / Description _____

Sample Identification Zero discharge with sampling plan

Sample Type Grab sample

Name of Sampler David Lu

Discharge mode Direct discharge to environment (Specify destination: River, Sea, Stream...) OR Indirect discharge to sewage treatment plant

Date and time collected 2016/10/17 9:45AM 10:45AM 11:45AM 12:45AM 13:45PM 14:45PM 15:45PM 16:45PM

Factory Type Dyeing/Printing/Washing/Finishing/Other (please specify) _____

*Note: It would be selected more than one

Field Data for wastewater

Field Parameters	pH :	Temp :	Color :
Control No. of field equipment	8.6	45.4 °C	Transparent brown

Analysis Required and Preservation Method

Factory with effluent treatment plant	Yes		No	
Sample matrix	<input checked="" type="checkbox"/>	Incoming water		
	<input type="checkbox"/>	Wastewater before treatment		
	<input type="checkbox"/>	Wastewater after treatment – water at discharge point		
Sampler container number				
Recording time				
Volume collected, mL				
Total volume collected	Remark: Total volumn collected must be greater than total of sample size required			
Tests	Test required	Total of sample size	Type of container	Preservation method
1. Phthalate		500 mL	Amber Glass, wash with nitric acid, rinse thoroughly with distilled water and dry before use	Without adding acid Store sample at 4°C
2. Brominated and chlorinated Flame retardant		500 mL		
3. Banned Azodyes		500 mL		
4. Organotin Compounds		500 mL		
5. SCCPs		500 mL		

C/N /AY/JK



Technical Report: **(6216)273-0501-R1**

December 30, 2016

Page 25 of 29

6. Navy Blue		10 mL		
7. Free primary aromatic amines		500 mL		
8. Chlorobenzenes		500 mL	Amber Glass, wash with nitric acid; Pre-add 6.5 mL of 2M HCl	Acidify to ~pH 2 with HCl and store sample at 4°C
9. Chlorophenols		500 mL		
10. APEOs/APs		500 mL		
11. Chlorinated Solvents		500 mL		Fill to full bottle without air; acidify to ~pH 2 with HCl and store sample at 4°C
12. Heavy Metals except CrVI		500 mL	Amber Glass, wash with nitric acid, pre-add 6.5mL of 2M HNO ₃	Acidify to pH 2 with HNO ₃ and store at 4°C
13. CrVI		500 mL	Amber Glass, wash with pesticide grade acetone	Fill to full bottle without air nor adding acid and store sample at 4°C
14. PFCs		500 mL	PE, wash with pesticide grade Acetone;	Without adding acid Store sample at 4°C
15. Cyanide		500 mL	Amber Glass, wash with pesticide grade acetone	Adjust pH 12 with 50% NaOH and store at 4°C

C/N /AY/JK



3) Wastewater after Treatment – Treated Waste Water

General Data

Laboratory Sample Number DT 20161017 AT

Client Name _____

Field Contact Person _____ Phone No: _____

Project (Facility Name and Address) _____

Sampling Location / Description _____

Sample Identification Zero discharge with sampling plan

Sample Type Grab sample

Name of Sampler David Lu

Discharge mode Direct discharge to environment (Specify destination: River, Sea, Stream...) OR Indirect discharge to sewage treatment plant

Date and time collected 2016/10/17 9:45AM 10:45AM 11:45AM 12:45AM 13:45PM 14:45PM 15:45PM 16:45PM

Factory Type Dyeing/Printing/Washing/Finishing/Other (please specify) _____

*Note: It would be selected more than one

Field Data for wastewater

Field Parameters	pH :	Temp :	Color :
Control No. of field equipment	6.9	31.9 °C	Transparent light yellow

Analysis Required and Preservation Method

Factory with effluent treatment plant	Yes		No	
Sample matrix		Incoming water		
		Wastewater before treatment		
	X	Wastewater after treatment – water at discharge point		
Sampler container number				
Recording time				
Volume collected, mL				
Total volume collected	Remark: Total volume collected must be greater than total of sample size required			
Tests	Test required	Total of sample size	Type of container	Preservation method
1. Phthalate		500 mL	Amber Glass, wash with nitric acid, rinse thoroughly with distilled water and dry before use	Without adding acid Store sample at 4°C
2. Brominated and chlorinated Flame retardant		500 mL		
3. Banned Azodyes		500 mL		
4. Organotin Compounds		500 mL		
5. SCCPs		500 mL		
6. Navy Blue		10 mL		

C/N /AY/JK



Technical Report: **(6216)273-0501-R1**

December 30, 2016

Page 27 of 29

7. Free primary aromatic amines		500 mL		
8. Chlorobenzenes		500 mL	Amber Glass, wash with nitric acid; Pre-add 6.5 mL of 2M HCl	Acidify to ~pH 2 with HCl and store sample at 4°C
9. Chlorophenols		500 mL		
10. APEOs/APs		500 mL		
11. Chlorinated Solvents		500 mL		Fill to full bottle without air; acidify to ~pH 2 with HCl and store sample at 4°C
12. Heavy Metals except CrVI		500 mL	Amber Glass, wash with nitric acid, pre-add 6.5mL of 2M HNO ₃	Acidify to pH 2 with HNO ₃ and store at 4°C
13. CrVI		500 mL	Amber Glass, wash with pesticide grade acetone	Fill to full bottle without air nor adding acid and store sample at 4°C
14. PFCs		500 mL	PE, wash with pesticide grade Acetone;	Without adding acid Store sample at 4°C
15. Cyanide		500 mL	Amber Glass, wash with pesticide grade acetone	Adjust pH 12 with 50% NaOH and store at 4°C

C/N /AY/JK



4) Sludge in Clarifier - Sludge

General Data

Laboratory Sample Number _____

Client Name DT 20161017-SC

Field Contact Person _____ Phone No: _____

Project (Facility Name and Address) _____

Sampling Location / Description _____

Sample Identification Zero discharge with sampling plan

Sample Type Grab sample

Name of Sampler David Lu

Discharge mode Direct discharge to environment (Specify destination: River, Sea, Stream...) OR Indirect discharge to sewage treatment plant

Date and time collected 2016/10/17 10:30AM

Factory Type Dyeing/Printing/Washing/Finishing/Other (please specify)

*Note: It would be selected more than one

Field Data for Sludge

Field Parameters	pH :	Temp :	Color :
Control No. of field equipment			Black

Analysis Required and Preservation Method

Factory with effluent treatment plant	Yes		No	
Sample matrix	X	Sludge in clarifier (sedimentation tank)		
Sampler container number				
Recording time				
Tests	Test required	Total of sample size	Type of container	Preservation method
1. Phthalate		10 g	Amber Glass, wash with nitric acid	Fill to full bottle without air and store at 4oC
2. Brominated and chlorinated Flame retardant		10 g		
3. Banned Azodyes		10 g		
4. Organotin Compounds		10 g		
5. Chlorobenzenes		10 g		
6. Chlorophenols		10 g		
7. SCCPs		10 g		
8. APEOs/APs		10 g		

C/N /AY/JK



Technical Report: **(6216)273-0501-R1**

December 30, 2016

Page 29 of 29

9. Dyes		10 g		
10. Flame retardant		10 g		
11. Heavy Metals except CrVI		10 g	PE, wash with nitric acid	Fill to full bottle without air and store at 40C
12. CrVI		10 g	Amber Glass, wash with pesticide grade acetone	Fill to full bottle without adding acid and store at 40C
13. Chlorinated Solvents		10 g		
14. PFCs		10 g	PE, wash with pesticide grade acetone	Fill to full bottle without air and store at 40C
15. Cyanide		50g	Amber Glass, wash with pesticide grade acetone	Adjust pH 12 with 50% NaOH and store at 40C

C/N /AY/JK